

GD-CT-AC2126V

2 MP Fixed Dome HD-TVI Camera 2.8~12mm Varifocal IR LED



- 2 Megapixel HD-TVI Camera with HD 1080P real time video
- Smart IR Control
- Varifocal Lens: $f = 2.8 - 12 \text{ mm}$
- 0 Lux: Integrated LED IR Illuminator viewable distance up to 40m
- 3 Axis Gimbal for wall and ceiling mount
- Power Input DC12V



ESSENTIAL

- Product Line Essential: high quality, basic features and remarkably many functions for smaller applications

Item Code: GD-CT-AC2126V

EAN CODE: 4260573060436

Specifications GD-CT-AC2126V

Camera

Image Sensor:	2 Megapixel progressive scan CMOS
Pixels - Effective:	1920 (H) x 1080 (V)
Sensitivity Colour:	0.01 Lux @ F1.2 (AGC ON)
Sensitivity B/W:	0 Lux LED IR on
Shutter Speed:	1/25 (1/30) ~ 1/50,000 s
White Balance:	Auto , Manual

Lens

Lens Focal Length:	2.8 ~ 12 mm
Viewing Angle:	102.3° (Wide) ~ 32° (Tele)
Iris F-Number:	F1.4 ~ F3.5
Lens Mount:	Ø14

Illuminator

Max. IR Distance:	Up to 40 m
Wavelength:	850nm

Video

Video Standard:	PAL, NTSC
Col/B&W:	Auto , Color , B&W, IR-cut filter removable (ICR)
Wide Dynamic Range:	Digital WDR
Image Enhancement:	BLC, 2D DNR, Anti-Flicker, Mirror, AGC
S/N Ratio:	>62 dB
Frame Rate (Max@Resolution):	PAL: 1080p@25fps NTSC: 1080p@30fps

General

OSD (On Screen Display):	English
Coaxial control:	Coaxitron®, CCVC

I/O Interface

Video Outputs:	4 in 1 Switch between TVI, AHD, CVI and CVBS
----------------	--

Approvals

Regulation:	CE, EAC, FCC, RoHS Compliant
Protection Rating:	IP66, IK10

Environmental

Operating Temperature:	-40 °C ~ 60 °C (-40 °F ~ 140 °F)
Humidity:	Less than 95%, non condensing

Electrical

Supply Voltage:	12 VDC ±10%
Power Consumption:	Max. 4 W

Item Code: GD-CT-AC2126V

EAN CODE: 4260573060436

Mechanical

Mount:	Pan: 0° to 355°, tilt: 0° to 75°, rotation: 0° to 355°, 3-Axis Adjustment
Dimensions:	Ø 145.3 × 124.2 mm (Ø 5.72 × 4.89 inch)
Weight:	1300 g (2.87 lb)

Accessories:



GD-AC-VB01



GD-BR-AMW16



GD-BR-AWJ06



GD-BR-AMP15



GD-BR-AMF04



GD-BR-AJX06

Item Code: GD-CT-AC2126V

EAN CODE: 4260573060436