


Type: Freeware - C-WERK - Software

Item Code: GD-CW-VIEWER

EAN CODE: 4260573061969


Highlights

H.265+



H.265pro+ utilizes the standard H.265/High Efficiency Video Coding (HEVC) format, but boasts advanced technologies that enable it to substantially reduce the necessary transmission bandwidth and storage capacity for maximum efficiency.

Smartphone App



The mobile application was developed to facilitate operators in effectively controlling and managing video systems remotely, at any time. It allows for live image viewing, playback of recorded video data, and receipt of remote notifications.

Features

- Bidirectional Audio Support
- Playback from edge storage such as Grundig IP cameras with SD cards and other recording devices
- Live viewing from Grundig IP cameras and recording devices
- 2D and 3D maps simplify the overview of the camera locations

Specifications GD-CW-VIEWER

Video

Max. number of video channels:	unlimited
Video Export:	JPG, PDF, MKV, AVI, MP4, EXE

Recording / Playback

Search Mode:	Date, Time, Event, Thumbnail
Playback:	Single or Multiscreen, Fisheye Camera Dewarp

General

Operating System:	Windows Vista SP2 (x86, x64), Windows Server 2008 SP2 (x86, x64), Windows Server 2008 R2 SP1 (x64), Windows 7 SP1 (x86, x64), Windows 8 (x86, x64), Windows Server 2012 (x64), Windows Server 2012 R2 (x64), Windows Server 2016 (x64), Windows Server 2019 (x64), Windows 10 (x86, x64)
Display Speed:	up to 25(30) fps per camera, depending on hardware and available network bandwidth
Languages:	Arab, Bulgarian, Chinese, Croatian, Danish, Dutch, English, French, German, Greek, Hebrew, Hungarian, Italian, Japanese, Korean, Lithuanian, Polish, Portuguese, Russian, Serbian, Slovak, Spanish, Turkish
Log File Support:	Events, macros, changes, activities per user
Maps:	BMP, JPG, PNG graphics support, 2-D maps, 3-D maps, OpenStreetMap etc.
Max. Channel per Server:	unlimited
Supported 3rd party brands:	More than 10,000 models of IP devices supported including more than 3,100 models of network devices integrated using proprietary protocol and 6,900 ONVIF compliant devices
Supported Codecs:	H.264, H.264+, H.265, H.265+, MJPEG, MPEG4, Wavelet

Network

Number of Clients:	unlimited
Functions:	Automatic detection of connected devices in the network Supports Intel QuickSync decoding, real-time monitoring, synchronous playback of video footage from multiple cameras, playback via timeline, fast, slow, forward and reverse, multi-level user rights.
Edge Storage:	Read, view and download camera and DVR/ NVR storage Onvif Profile G

Intelligent Functions

Intrusion Detection:	Enter and loiter in a pre-defined virtual region
Line Crossing:	Cross a pre-defined virtual line
Region Entrance:	Enter a pre-defined virtual region from the outside place
Region Exiting:	Exit from a pre-defined virtual region
Unattended Baggage:	Objects left over in the pre-defined region such as the baggage, purse, dangerous materials
Object Removal:	Objects removed from the pre-defined region, such as the exhibits on display
Tamper Protection:	Detection of scene change, defocus, sudden audio increase/decrease or audio loss.
Event Source:	A variety of internal or external events can trigger actions such as alarm contacts, motion detection, video analytics parameters etc.
Event Action:	Event wizard with setting options for almost unlimited actions and makros when events occur. For example: Start recording (continuous, alarm, pre-alarm), switch alarm relay, trigger preset of a PTZ dome, notification by SMS, e-mail, announcement on loudspeakers near the camera, output of data to connected systems, etc ..